

SOLLIS

STADT

ROLLER | PANEL | ROMAN

LIGHT FILTERING & BLOCKOUT

STADT LIGHT FILTERING

Composition:	100% Polyester
Width:	2,800mm
Weight:	295gsm
Thickness:	0.58mm
Light Fastness:	>6 (Blue Wool Scale) Fully fade resistant
Opacity:	Light Filtering
Fire Retardancy:	Product is designed and manufactured to comply with the Building Code of Australia requirements for class 2 to 9 buildings
Protection:	Mould and mildew protection
Care Instructions:	Wipe clean with warm soapy water and damp cloth

STADT BLOCKOUT

Composition:	100% Polyester
Coating:	Blockout coating with white acrylic foam
Width:	2,800mm
Weight:	320gsm
Thickness:	0.55mm
Light Fastness:	>6 (Blue Wool Scale) Fully fade resistant
Opacity:	Blockout tested to AS-2663-1999 Appendix B requirements for blockout
Fire Retardancy:	Product is designed and manufactured to comply with the Building Code of Australia requirements for class 2 to 9 buildings
Protection:	Mould and mildew protection
Care Instructions:	Wipe clean with warm soapy water and damp cloth



SOLIS PRODUCTS

190 WILLOUGHBY ROAD
CROWS NEST NSW 2065
P +612 9439 9020
F +612 9439 9223

WWW.SOLISPRODUCTS.COM